





Never run out of softened water again







Hellenbrand treated water is in perfect balance and harmony with our lives, our homes and the environment. A Hellenbrand home enjoys water that brings health and vitality to your family. It's water the way nature intended, free of unwanted minerals.

Our ProMate 7.0 High Performance Twin Alternating (TA) water softeners are designed with that goal in mind. Providing you with proven technology and unmatched performance. Designed for city or well water, the ProMate 7.0 TA softens water naturally – resulting in water that's better for your hair, skin and nails, while gentler on household appliances, fixtures and plumbing. And the ProMate 7.0 TA utilizes a unique twin-tank system that means you will never run out of soft water again. You'll save on salt, energy and water.

With over 200 years of combined experience in the water conditioning industry, Hellenbrand is the first family of water treatment.

Achieve water in perfect balance and harmony. Achieve Aqualibrium with Hellenbrand.

ProMate 7.0 TA: Exclusive Technology, Made Simple

Superior Flow Technology

Hellenbrand's unique technology consists of a distribution plate that has 56% more surface area on 10" diameter systems than standard systems with a cone type distributor, and runs the full width of the tank diameter for significantly improved performance.

- Improved resin bed expansion in backwash provides better cleaning of the resin bed.
- > Less water is required to regenerate.


Premium 10% Resin

We use premium 10% cross linked resin vs. most of our competitors that use 8% or less.


What does this mean?

- > 10% resin is used for a lot of commercial applications, because it is stronger and lasts longer. It resists mushing and jelling from chemicals and physical breakdown.
- Damaged resin means you will use more salt and waste more water when recharging the resin for softening.
- > You also have better pressure over the life of your softener.

Array (starting at center)	% Increase of open area with respect to Array No.1
Array No. 1	
Array No. 2	100%
Array No. 3	200%
Array No. 4	300%
Array No. 5	400%
Array No. 6	500%



Standard Tank



Vortech™ Mid-Plate

Eliminates Chlorine & Benefits Your Health

Chlorine can affect the smell and taste of your water, while harming your hair, skin and nails. Soft, chlorine-free water maintains the delicate balance between natural, beneficial bacteria and the healthy oils on your body. The ProMate 7.0 TA can be custom designed with optional DMT technology to eliminate chlorine, while it softens your water.

A ProMate 7.0 TA Means **Better Water for Health & Home**

Help Dry Skin and Hair

Use less shampoo and conditioner. Enjoy healthier and softer skin and hair with softened water.

Reduce Energy Costs

Softened water maintains the ENERGY STAR® ratings on your water heater by preventing rock like scale build-up, thus saving you significant dollars in energy costs and a much longer life for your water heater.

Stop Discoloration and Staining

Softened water eliminates hard water stains and significantly reduces rust colored stains from iron.

Protect Household Appliances, Fixtures and Plumbing

Softened water extends the life and significantly reduces the repair costs as a result of hard water. Your faucets, showerheads and household appliances will last much longer; your dishes will be cleaner and clothes will stay brighter, longer.



How Does a ProMate 7.0 TA Work?

- 1. Hard water enters your water softener and passes down through the ion exchange resin, which is charged with sodium ions. The hard water ions, calcium and magnesium, are attracted to the ion exchange resin, and an equal amount of sodium ions are bumped off into the water supply.
- 2. When the water reaches the bottom of the tank, it is softened and ready to be used in your home and business.
- **3.** When the tank providing soft water is saturated with hard water minerals, the control valve places the second tank into the soft water mode and recharges the first tank.
- 4. A salt solution flushes the calcium and magnesium off the resin and the resin is recharged with sodium. The brine solution from your brine tank is the fuel to recharge the resin with sodium.

Vortech™ Distributor - Enhanced resin cleaning Reduces water for regeneration Not available in all sizes.



- Your ProMate 7.0 TA control automatically handles the entire regeneration process.
- Unlike single tank systems, the ProMate 7.0 TA does not require a "reserve capacity." In fact, it uses 100% of the available capacity, then switches tanks and regenerates the exhausted tank with softened water from the tank in service.
- Studies have shown up to a 17% savings on salt and water usage over a single-tank on demand system.
- This process provides softened water without interruption, on demand, 24-hours per day using less than \$2.50 in electricity per year with an efficiency of nearly 4,200 grains per lb. of salt.



- Detergent savings of up to 70% with soft water as compared to hard water.
- Depending on the soil, hardness reduction was found to be up to 12 times more effective at soil removal than increasing the detergent dose.
- Hardness reduction was 6 times more effective at reducing spotting and twice as effective at reducing filming as increasing detergent use.

Brighter Clothes, Less Detergent

- Stain removal performance increases dramatically when hardness is removed, even when the detergent dose and temperature are also lowered.
- Softening the water will allow the use of 60% less detergent and will also save energy by lowering water temperatures, while still maintaining or improving performance.

Improved Water Heater Efficiency

- Gas storage tank water heaters operated on softened water maintained the original factory efficiency rating over a 15-year lifetime.
- Hard water can result in as much as a 48% loss in water heater efficiency.
- > Tank-less water heaters operating on 26.2 grains per gallon of hardness failed to operate after 19 days of testing.
- > Softened water saves 40-57% of operating costs.

Longer-Lasting Showerheads and Fixtures

- > Showerheads with soft water maintained a brilliant luster and full flow, and performed nearly as well throughout the study as the day they were installed.
- Showerheads on hard water lost 75% of the flow rate in less than 18 months.

The detergent savings studies were conducted by the independent testing firm Scientific Services S/D, Inc. of New York, and the softened water benefit studies were conducted by the Battelle Memorial Institute, a non-profit international science and technologies enterprise. Both studies were funded by the Water Quality Research Foundation (WQRF).





Hellenbrand, Inc. 404 Moravian Valley Road Waunakee, WI 53597 www.hellenbrand.com